Black drill marks are for turrets. Red drill marks are for mounting holes. Green drill marks are for snap-in capacitor terminals. Note that grid resistors for V1a are not on the turret board: they connect directly to the tube socket. The four grid resistors for the power tubes are also on the tube sockets. One lead from the standby switch goes to the center tap (red) of the output transformer.



Black drill marks are for turrets. Red drill marks are for mounting holes. Green drill marks are for snap-in capacitor terminals. Note that grid resistors for V1a are not on the turret board: they connect directly to the tube socket. The four grid resistors for the power tubes are also on the tube sockets. One lead from the standby switch goes to the center tap (red) of the output transformer.



Black drill marks are for turrets. Red drill marks are for mounting holes. Green drill marks are for snap-in capacitor terminals. Note that grid resistors for V1a are not on the turret board: they connect directly to the tube socket. The four grid resistors for the power tubes are also on the tube sockets. One lead from the standby switch goes to the center tap (red) of the output transformer.




Black drill marks are for turrets. Red drill marks are for mounting holes. Green drill marks are for snap-in capacitor terminals. Note that grid resistors for V1a are not on the turret board: they connect directly to the tube socket. The four grid resistors for the power tubes are also on the tube sockets. One lead from the standby switch goes to the center tap (red) of the output transformer.
red OPT
grn/ yel
fuse
273bx
standby
red/ yel
red
red
Cathode V1b
Anode V1a
Anode V1b
T 3
T 1
B3
T2
Pl caths
g V2b
V2a anode
V2b anode
Output caths
R 1/16"
Star ground
Cathode V1a
Vol- ume 1
B 2
B 1
g V2a
yellow OPT
blue grid r
brn grid r


Black drill marks are for turrets. Red drill marks are for mounting holes. Green drill marks are for snap-in capacitor terminals. Note that grid resistors for V1a are not on the turret board: they connect directly to the tube socket. The four grid resistors for the power tubes are also on the tube sockets. One lead from the standby switch goes to the center tap (red) of the output transformer.
grn/ yel
fuse
red OPT
273bx
standby
red
red
red/ yel
Cathode V1b
Anode V1a
Anode V1b
T 1
T 3
.00047
.0047
B3
T2
PI caths
g V2b
V2a anode
V2b anode
Output caths
100K 2W
100K 2W
120K 1W
82K
82K
2.2K
470K
220K
150K
15K
270K
.015 uF
680
1M
82K
82K
.1 uF
.015 uF
.015 uF
300 15W
50u 100 V
1uF
1uF
1uF
5.6K
.015 uF
.015 uF
.0015
270K
.015 uF
120K
R
36K
10K
120K
360K
360K
R 1/16"
Star ground
Cathode V1a
Vol- ume 1
B 2
B 1
g V2a
"R" is 1M
yellow OPT
blue grid r
brn grid r